



**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
PATENT APPLICATION**

Appl. No.	:	10/749,416	Confirmation No. 9565
Applicant	:	Kendall S. Wills et al.	
Filed	:	December 31, 2003	
TC/A.U.	:	2863	
Examiner	:	Bui, Bryan	
Docket No.	:	TI-37082	
Customer No.	:	23494	

Commissioner for Patents
P. O. Box 1450
Alexandria, VA 22313-1450

CERTIFICATE OF MAILING OR TRANSMISSION

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage for First Class Mail in an envelope addressed to: Commissioner for Patents, Alexandria, VA 22313-1450 or is being facsimile transmitted on the date indicated below.

9-2-2005
Jackie McBride
 Jackie McBride

DECLARATION UNDER 37 C.F.R. 1.131

Sir:

KENDALL S. WILLS, KARTIK RANAMUJACHAR and MICHAEL D. DOCKINS declare as follows:

1. THAT they are the applicants in the subject application for Letters Patent;
2. THAT they conceived the invention as set forth in the attached invention disclosure, the attached paper entitled Wavelet Analysis of One or More Time Domain Reflectometry (TDR) Signals to Determine One or More Characteristics of One or More Anomalies in a Wire and in the subject application for Letters Patent in the United States prior to May 12, 2003 and continually worked on the subject

invention up to their reduction to practice as well as up to the filing of the provisional application Serial No. 60/486,663, filed July 11, 2003, all in the United States;


3. THAT they reduced the invention to practice as disclosed in the subject application in the United States prior to May 12, 2003;

4. THAT all redacted dates on the attached page(s) of the laboratory notebook are prior to May 12, 2003.

I declare under penalty of perjury that the above stated facts are true and correct on information and belief.




Kendall S. Wills



Date



Kartik Ramanujachar




Date

Michael D. Dockins

Date

Texas Instruments Incorporated

TI-37082 - 2

Respectfully submitted,

Yingsheng Tung

P. O. Box 655474, M/S 3999
Dallas, Texas 75265
(972) 917-5355

Attorney for Applicants
Reg. No. 52,305

TI-37082 - 3



57

PROJECT NAME FDATDRS

NOTEBOOK NO.



DANB 4 Analysis

THE WT USING THE DANBFCHIES WAVELET WAS TESTED ON TWO TRIALS OF UNIT 5 (no die or bumps). THE RESULTS WERE VISUALLY SIMILAR. THE WT(DANB) IS REPEATABLE FOR TDR SIGNALS



BEST AVAILABLE COPY

THE WT(DANB) WAS ALSO USED IN TWO SIMILAR UNITS (5XG) w/ FIBER DIE & BUMPS PRESENT. THE RESULTS WERE VISUALLY SIMILAR. THE WT(DANB) IS CONSISTENT



BEST AVAILABLE COPY

SIGNATURE [Signature]
READ AND UNDERSTOOD

DATE 19
DATE 19

BEST AVAILABLE COPY


58

PROJECT NAME FDATDRS


NOTEBOOK NO.

THE WT (DANB) WAS THEN USED ON UNITS IN
THE FOLLOW PREPARED STATES
U2T1, U4T1, U6T1, U8T1


Device 2 Trial 1 -zoomed-




Device 4 Trial 1 -zoomed-



Device 6 Trial 1 -zoomed-



Device 8 Trial 1 -zoomed-




WT Using D4 Wavelets for Four Dissimilar Units

THE WT (DANB) SHOWS PROGRESSION BUT IT
IS FAR LESS NOTICABLE THAN IN THE
HAAR WT.

SIGNATURE 
READ AND UNDERSTOOD

DATE 18-08-05
DATE 19

59.

PROJECT NAME FDATDRBEST AVAILABLE COPIESNOTEBOOK NO. 1WT(Haar) Analysis

FROM ~20 - 80 ps, THE TDR WAVEFORMS ARE IDENTICAL. THE FAULT VOLTAGE DIP AT THE BEGINNING OF THE TDR SIGNAL IS THE RESULT PRIMARILY, OF THE PROBE TIP CONTACTING THE UNIT.

AFTER THIS POINT, THERE ARE DIFFERENCES BETWEEN THE UNITS, BUT THEY CAN BE VERY SLIGHT AND DIFFICULT TO INTERPRET, ESPECIALLY FOR UNITS WHERE CIRCUIT PATHS ARE NEARLY THE SAME LENGTH.

~~PROJ~~ A TECHNIQUE THAT COULD EMPHASIZE THE DIFFERENCES WOULD BE COMPARATIVE TDR ANALYSIS AND COULD HELP BETTER ISOLATE DEFECTS.

~~SLOW~~ WAVELET ANALYSIS, ESPECIALLY USING HAAR WAVELETS, CAN BE USED TO HELP HIGHLIGHT THE DIFFERENCES. BECAUSE THE HIGH FREQUENCIES WHICH ARE ASSOCIATED WITH THE CHANGES OF THE WAVEFORM CAN BE COMPARED BETWEEN UNITS TO DETERMINE IF THEY EXHIBIT SIMILAR CHANGES.


THE HAAR WT IS ALSO VERY USEFUL AT IDENTIFYING THE RESISTIVE (FLAT TDR SIGNAL) AREAS IN THE SIGNAL. THESE AREAS EXHIBIT ONLY LOW FREQUENCIES AND CAN BE EASILY IDENTIFIED USING THE HAAR WAVELET AS A BASE.

SIGNATURE Monteith
READ AND UNDERSTOOD _____





DATE 19
DATE 19


BEST AVAILABLE

60

PROJECT NAME EDATDRSNOTEBOOK NO. 1

SOME REGIONS OF INTEREST IN THE TIME DOMAIN WFM'S ARE LABELED. I FOCUSED MY EFFORTS ON REGION A, THE AREA WHERE THE WFM'S BEGIN TO EXHIBIT THEIR DIFFERENCE. WE CAN SEE EASILY WITH THE HAAR WAVELET THAT MORE & MORE HIGH FREQUENCY COMPONENTS ARE INTRODUCED AS THE ELECTRICAL PATH SHARPENS



SIGNATURE 
READ AND UNDERSTOOD


DATE 19
DATE 19

61

PROJECT NAME FDATDR'SNOTEBOOK NO. 1

THE WT (HAAR) WAS USED ON A SERIES OF TDR WAVEFORMS ACQUIRED BY OMAR DIAZ DE LEON FOR COMPARATIVE TDR. THE DEVICE ORIGINALLY SHOWED TO HAVE A FAILURE AT THE BUMP-TO-DIE INTERFACE.

AFTER STRESSING THE UNIT ELECTRICALLY THE UNIT RECOVERED & ITS NEW SIGNATURE RESEMBLED THAT OF A GOOD UNIT



SIGNATURE M. J. M. S.
READ AND UNDERSTOOD

DATE 19
DATE 19